

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	141	generat\$4 with (pars\$3 near rule)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 13:55
L2	25	1 and template	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 13:55
L3	18	2 and (@pd<"20030725" or @ad<"20030725" or @prad<"20030725" or @rlad<"20030725")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/01/05 14:36
L4	0	3 and example	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/05 13:56
L5	7	3 and prototype	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/05 13:57
L6	9	3 and sample	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/05 14:30
L7	15	message near data near rule	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 14:33
L8	1	7 and template	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 14:30
L9	143	data With (message near rule)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 14:34
L10	37	9 and template	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 14:34

EAST Search History

L11	37	10 and generat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 14:36
L12	15	11 and sample	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 14:36
L13	10	12 and (@pd<"20030725" or @ad<"20030725" or @prad<"20030725" or @rlad<"20030725")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/01/05 14:58
L14	5	positive near negative near example	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/01/05 14:41
L15	0	14 and pars\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/01/05 14:41
L16	0	14 and template	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/01/05 14:41
L17	9	template with example	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 14:43
L18	0	17 and positve	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 14:42
L19	11212	template with (example or sample)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 14:43
L20	0	19 and (generat\$ near pars\$4 near rule)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 14:44

EAST Search History

L21	4	19 and (pars\$4 near rule)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 14:57
L22	64	message with (pars\$3 near rule)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 14:58
L23	9	22 and template	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 14:58
L24	5	23 and (@pd<"20030725" or @ad<"20030725" or @prad<"20030725" or @rlad<"20030725")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/01/05 15:05
L25	177	template near positive	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/01/05 15:02
L26	17	template near positive near negative	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/01/05 15:03
L27	1	26 and rule	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/05 15:03
L28	0	26 and pars\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/05 15:04
L29	757	rule near template	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/05 15:04
L30	150	29 and positive	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/05 15:04
L31	102	30 and negative	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/05 15:04

EAST Search History

L32	101	31 and generat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/05 15:05
L33	92	32 and (@pd<"20030725" or @ad<"20030725" or @prad<"20030725" or @rlad<"20030725")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/01/05 15:49
L34	32	33 and (sample or example)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/01/05 15:06
L35	10	34 and message	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/01/05 15:18
L36	10431	build\$3 with (template message)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/05 15:46
L37	25	build\$3 with (template near message)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/05 15:19
L38	0	37 and (pars\$3 near rule)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/05 15:20
L39	43	36 and (pars\$3 near rule)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/05 15:20
L40	37	39 and (@pd<"20030725" or @ad<"20030725" or @prad<"20030725" or @rlad<"20030725")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/01/05 15:21
L41	14625	build\$3 with (template message rule)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/05 15:48
L42	0	41 and pars3\$	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/05 15:47
L43	0	build\$3 with (template near message near rule)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/05 15:48

EAST Search History

L44	25	build\$3 with (template near message)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/05 15:49
L45	6	44 and rule	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/05 15:49
L46	5	45 and (@pd<"20030725" or @ad<"20030725" or @prad<"20030725" or @rlad<"20030725")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/01/05 16:15
L47	163	generat\$3 with (template near rule)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/05 15:52
L48	62	47 and pars\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/05 15:52
L49	47	48 and (@pd<"20030725" or @ad<"20030725" or @prad<"20030725" or @rlad<"20030725")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/01/05 16:14
L50	64	message with (pars\$3 near rule)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/05 16:15
L51	9	50 and template	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/05 16:15
L52	5	51 and (@pd<"20030725" or @ad<"20030725" or @prad<"20030725" or @rlad<"20030725")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/01/05 16:39
L53	757	rule near template	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/05 16:39
L54	15	53 and (pars\$3 near message)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/05 16:44
L55	8	54 and (@pd<"20030725" or @ad<"20030725" or @prad<"20030725" or @rlad<"20030725")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/01/05 16:44

EAST Search History

L56	49	53 and (pars\$3 same message)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/05 16:44
L57	36	56 and (@pd<"20030725" or @ad<"20030725" or @prad<"20030725" or @rlad<"20030725")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/01/05 16:53
L58	321	rule near build\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/01/05 16:52
L59	93	58 and template	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/01/05 16:52
L60	17	59 and pars\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/01/05 16:52
L61	13	60 and (@pd<"20030725" or @ad<"20030725" or @prad<"20030725" or @rlad<"20030725")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/01/05 17:39
L62	114924	select\$3 with (positive or negative)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/01/05 17:38
L63	13	62 and (pars\$3 near rule)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/01/05 17:38
L64	1	63 and template	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/01/05 17:38
L65	0	64 and (@pd<"20030725" or @ad<"20030725" or @prad<"20030725" or @rlad<"20030725")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/01/05 17:39
L66	12	63 and (@pd<"20030725" or @ad<"20030725" or @prad<"20030725" or @rlad<"20030725")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/01/05 17:46
L67	91221	select\$3 with (sample or example)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/01/05 17:45

EAST Search History

L68	57	select\$3 with (rule near template)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/01/05 17:45
L69	19	68 and pars\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/01/05 17:45
L70	11	69 and (@pd<"20030725" or @ad<"20030725" or @prad<"20030725" or @rlad<"20030725")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/01/05 17:51
L71	187	template with (positive near negative)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/01/05 17:51
L72	8	71 and pars\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/01/05 17:51
L73	4	72 and (@pd<"20030725" or @ad<"20030725" or @prad<"20030725" or @rlad<"20030725")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/01/05 17:55
L74	17	un near pars\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/01/05 18:01
L75	7	74 and message	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/01/05 17:55
L76	3	75 and (@pd<"20030725" or @ad<"20030725" or @prad<"20030725" or @rlad<"20030725")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/01/05 18:01
L77	178	non near pars\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/01/05 18:01
L78	76	77 and message	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/01/05 18:01
L79	56	78 and (@pd<"20030725" or @ad<"20030725" or @prad<"20030725" or @rlad<"20030725")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/01/05 18:12

EAST Search History

L80	15	79 and template	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/01/05 18:11
L81	67	message with (pars\$3 near error)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/05 18:30
L82	23	81 and template	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/05 18:12
L83	12	82 and (@pd<"20030725" or @ad<"20030725" or @prad<"20030725" or @rlad<"20030725")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/01/05 18:31
L84	1	message near pars\$3 near fail\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/05 18:31
L85	22	message with (pars\$3 near fail\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/05 18:31
L86	19	85 and (@pd<"20030725" or @ad<"20030725" or @prad<"20030725" or @rlad<"20030725")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/01/05 18:43
L87	30	message with (pars\$ near correct\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/01/05 18:42
L88	1	87 and template	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/01/05 18:42
L89	17	87 and (@pd<"20030725" or @ad<"20030725" or @prad<"20030725" or @rlad<"20030725")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/01/05 18:52
L90	505	pars\$3 near error	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/05 18:48
L91	370	90 and message	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/05 18:48

EAST Search History

L92	104	91 and template	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/05 18:49
L93	74	92 and rule	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/05 18:49
L94	74	93 and (generat\$3 or creat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/05 18:49
L95	2	92 and (generat\$5 near rule)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/05 18:50
L96	3	92 and (build\$5 near rule)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/05 18:50
L97	64	94 and (@pd<"20030725" or @ad<"20030725" or @prad<"20030725" or @rlad<"20030725")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/01/05 19:16
L98	22	correct\$ with (pars\$3 near rule)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/05 19:16
L99	19	98 and (@pd<"20030725" or @ad<"20030725" or @prad<"20030725" or @rlad<"20030725")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/01/05 19:16